

Orion Energy Systems

Ultra Highbay Compact Modular Fixture Series

Orion's patented lighting systems incorporate superior optical and thermal efficiency to deliver the most output with the least input.

APPLICATIONS Superior performance in a variety of high mounting interior applications, including commercial, storage, and industrial facilities. 95% fixture efficiency.



CERTIFICATION UL Listed.

CONSTRUCTION Durable, lightweight aluminum frame. >90% fixture efficiency.

FINISH Black powdercoat on power pack.

ELECTRICAL Pre-wired. Instant and program start ballasts available.

REFLECTOR Patented, optically efficient design provides 95% total reflectance and is deeper and wider than standard compact modular reflectors.



HBP6 shown.

SPECIFICATIONS

Series	Lamps	Wattage Consumed ¹	Length	Width	Depth	Weight (without lamps) ²
HBP/HB	2 Lamps	73 @ 277v	48.15"	9.08"	3.63"	4.5 lbs
HBP/HB	4 Lamps	145 @ 277v	48.15"	16.98"	3.63"	7.4 lbs
HBP/HB	6 Lamps	218 @ 277v	48.15"	22.23"	3.63"	8.5 lbs
HBP/HB	8 Lamps	290 @ 277v	48.15"	29.23"	3.63"	11.5 lbs
HBP/HB	12 Lamps	436 @ 277v	96.5"	22.23"	3.63"	17.0 lbs
HBP/HB	16 Lamps	580 @ 277v	96.5"	29.23"	3.63"	24.0 lbs

¹347v and 480v options increase wattage consumed.

²A 347v or 480v transformer adds 2 lbs.

ORDERING INFORMATION

HBP/HB	XX	XX	XX	XX	XX	XX	XX
Series	Number of Lamps	Power Connection	Ballast Type	Powersource	Additional Power Options	Lamp Type	Integral Sensor

Series	Description
HBP	Ultra Highbay Compact Modular Fixture with Platform Connection
HB	Ultra Highbay Compact Modular Fixture with Mate-N-Lok Connection

Number of Lamps	Lamp Type
2	2-Lamp T8
4	4-Lamp T8
6	6-Lamp T8
8	8-Lamp T8
12	12-Lamp T8
16	16-Lamp T8

Power Connection	Description
(blank)	Non-hardwired Fixtures
HW	Hardwired

Ballast Type	Description
(blank)	Instant Start
PS	Programmed Start
PI	1 Programmed Start, 1 Instant Start
BB	Battery Back-up
LP	Low Power Ballast
347	347v Ballast
N	Normal Power Ballast
O	Osram Ballast

Powersource	Description
(blank)	Full Switching
DS	Dual Switching
DO	Dual Option

Additional Power Options	Description
(blank)	No additional power option
TF	Internal Transformer 480 volt
W	Modular Ballast Connectors

Lamp Type	Description
(blank)	850 Lamps
841	841 Lamps
NL	No Lamps
HL	High Lumen Lamps
SR	Shatter Resistant Lamps
HLSR	High Lumen/Shatter Resistant Lamps

Integral Sensor	Description
(blank)	No Integral Sensor
WS	Integral Sensor



877.204.7540

www.oesx.com

NYSE Amex: OESX

© 2011 Orion Energy Systems, Inc. All rights reserved. Light Years Ahead and Orion are trademarks/service marks of Orion Energy Systems Inc. Design modification rights reserved. Orion fixtures are covered by a one-year limited warranty. Accessories and individual components are covered by separate OEM supplier warranties.



07 /05 / 2011